

- Here is some information about your test/exam :
- Webinar Name : MEDICATION-ASSISTED TREATMENT FOR OPIOID ABUSE: CRIMINAL JUSTICE SETTINGS.
- Percentage of questions you need to answer correctly to pass: 75%.
- You can take this test as many times as you wish.

1. Criminal justice settings identified by SAMHSA include:

- A: drug courts
- B: prison administration
- C: community corrections
- D: All of the above

2. MAT refers to

- A: Medication augmented testing
- B: Medication assisted treatment
- C: Medical assistive technology
- D: Multifocal activating treatment

3. Prison is a correctional institution run by _____ government or government-contracted agency.

- A: regional
- B: county and state
- C: federal
- D: state and federal

4. Medical detoxification as a single prong treatment is associated with _____ relapse rates

- A: minimal
- B: logarithmically decreasing
- C: extremely high
- D: moderately low

5. Probation enables supervision in the community as an alternative to

- A: MAT
- B: incarceration
- C: treatment court
- D: residential rehabilitation programs

6. _____ is not a commonly used medication in MAT

- A: bupropion
- B: norco
- C: narcan
- D: buprenorphine

7. Challenges of implementing MAT include

- A: prohibition of controlled substances in correctional facilities
- B: abstinence requirements for enrollment
- C: lack of licensed mental health providers
- D: obtaining FDA approval

8. KEEP refers to

- A: Key Extended Entry Program
- B: Ketamine Early Evaluation Program
- C: Knowledge and Education Entry Program
- D: Key Educational Entry Program

9. Methadone binds to

- A: delta opioid receptors
- B: mu opioid receptors
- C: metabotropic receptors
- D: glucocorticoid receptors

10. Which of the following do not reduce opioid cravings?

- A: methadone tablet
- B: buprenorphine injection
- C: naltrexone tablet
- D: naltrexone injection

11. Methadone is associated with

- A: euphoria
- B: sedation
- C: immuno suppression
- D: respiratory depression

12. _____ is not reliably effective for alleviating withdrawal symptoms

- A: naltrexone
- B: methadone
- C: buprenorphine
- D: all of the above

13. Methadone and buprenorphine treatment are _____ criminal recidivism rates

- A: negatively correlated with
- B: positively correlated with
- C: unrelated to
- D: antecedents of

14. Protective effects from correctional setting MAT

- A: are strongly correlated with relapse and overdose
- B: increase mortality rates
- C: require post-release termination of MAT
- D: require post-release continuation of MAT

15. Which is not a factor involved in choice of medication in MAT?

- A: age at onset of opioid use
- B: co-occurring psychiatric conditions
- C: co-occurring medical conditions
- D: tobacco use

16. Community-based OTPs found no incremental benefits of evidence-based counseling on treatment retention or relapse _____ of treatment

- A: after 18 months
- B: after 12 months
- C: in the first 3-12 months
- D: in the first 1-3 months

17. Approximately _____% of MAT participants discontinue the medicine within the first 12 months of treatment

- A: 10--35
- B: 35--75
- C: 50--95
- D: 5--25

18. Institutional policies limiting the dosage or duration of MAT

- A: are necessary
- B: prevent relapse
- C: are unwarranted
- D: reduce recidivism

19. OUD refers to

- A: opioid use deterrant
- B: opioid use disorder
- C: opioid use detoxification
- D: none of the above

20. MATs investigated for this course include locations in

- A: California
- B: New York
- C: Colorado
- D: Pennsylvania

21. KYDOC estimated an average cost of approximately ___ per person per day for Recovery Kentucky

- A: 120
- B: 90
- C: 10
- D: 35

22. According to NJDOC, MAT has a ____% attrition rate

- A: 50
- B: 25
- C: 91
- D: 9

23. RIDOC implemented MAT in the which setting?

- A: jail
- B: prison
- C: reentry
- D: all of the above

24. ___ is not part of the RIDOC four-tier model

- A: abstinence model
- B: Day treatment
- C: residential therapeutic community
- D: group counseling

25. MATRI utilizes the following medication(s)

- A: naltrexone
- B: buprenorphine
- C: methadone
- D: naloxone

26. MATRI found a ___% reduction in crime

- A: 62
- B: 3.5
- C: 9.7
- D: 50.3

27. PDP implements a combination treatment involving

- A: methadone and CBT
- B: methadone and EFT
- C: methadone and EMDR
- D: methadone and CPT

28. As of 2018, MSO recorded approximately 4% of MATADOR participants experience

- A: relapse within 12 months post-release
- B: criminal recidivism
- C: fatal overdose
- D: drug related parole violations

29. 340B Drug Discount Program is a requirement that _____ must meet.

- A: mental health providers
- B: drug manufacturers
- C: law enforcement
- D: Federally Qualified Health Centers

30. MAT educates staff on a _____ model of addiction

- A: neurological
- B: disease
- C: law enforcement
- D: cultural

31. Which of the following goals are recommended for reducing stigma about OUD in criminal justice settings?

- A: empathy training
- B: education of genetic influences
- C: identifying co-occurring mental illness
- D: all of the above

32. _____ is not a threat to safety and security of MAT in correctional facilities.

- A: incorrect usage of prescribed medications
- B: cheeking
- C: none of the above
- D: cell to cell administration

33. The DEA requires usage of _____ for dispensing methadone

- A: weekly individual therapy
- B: cell to cell administration
- C: dispersal windows
- D: dual mouth-checks

34. _____ is a method of decreasing risk of diversion or misuse of medication.

- A: Dispensation in tablet form
- B: titration of psychoactive medications
- C: food restriction
- D: random urine screening

35. Once naltrexone reaches room temperature, it must be

- A: used within 6 hours
- B: used within 7 days
- C: stored away from light
- D: only administered orally

36. As of 2018, which OUD medication was covered by the most US states and territories?

- A: methadone
- B: naloxone
- C: naltrexone
- D: buprenorphine

37. SAMHSA and NIH estimate that less than ____ % of licensed/waivered addiction medicine specialists are accessible in rural US communities.

- A: 25
- B: 10
- C: 5
- D: 20

38. Individuals transitioning from criminal justice settings back to community settings are at elevated risk for

- A: underemployment
- B: exposure to drug use
- C: all of the above
- D: housing instability

39. Which of the following are recommended by SAMHSA for identifying credentialed community MAT providers?

- A: AAAP and ASAM
- B: MARA and AATOD
- C: N-MHSS and N-SSATS
- D: all of the above

40. Forced withdrawal from opioids has high likelihood to

- A: be medically hazardous
- B: reduce relapse rates
- C: reduce overdose thresholds
- D: induce psychotic episodes

41. RIOSORD assesses risk of _____

- A: respiratory depression
- B: relapse factors
- C: recidivism
- D: onset of detoxification

42. Which of the following measures evaluates psychiatric conditions that are likely to co-occur with OUD?

- A: SCL-90 and BSCS
- B: CINA and OCS
- C: PCL and MHSF-III
- D: DAST and COMM